



**CATALOGUE**  
*IE.23*

**IONFILTER.**  
E X P O R T

# 1 Filtration

02-09

Logico Aqua  
Logico Aqua Pro  
Logico Aqua Mini  
Filtermax Filters  
FT Line  
Kinetico Prefilters  
Cintropur Filters  
3-Piece Housing  
Anti-Scalant dosing  
device minipol/dosafos  
Cartridges

# 5 Faucets

38-45

**1-way RO**  
Robin (MF)  
Hike (MF)  
Copenhagen  
Mini Robin (MF)  
Robin  
Hike  
Haru  
Klein  
Lewis  
Store  
Oslo  
**2-way RO**  
Dober (MF)  
Osaka  
Seven

**3-way RO**  
Forum (MF)  
Sigma (MF)  
Ares  
Forum  
Ter  
Altea  
Esla  
Mizu  
Aspe  
Dion  
Cosmo  
Oregon  
**4-way RO**  
Virka  
Lander  
**5-way RO**  
Awa

# 2 Domestic softener

10-15

Ergo  
Toren  
Stratos  
Denver Plus  
Denver Plus Blue  
Watermark  
Rider  
VD Black  
VD  
Meddalsoft

# 6 Starfit

46-47

Acetal Fittings  
Check Valve  
In-line Filters

# 3 Watermark Series

16-23

WS470  
WS490  
WS530  
WS655  
WS755  
WS470UF  
WS530UF  
WS490UF  
MTS Programmer  
MTS-655  
MTS-755  
Watermarks series simplex 665  
Watermarks series simplex 755  
Watermarks series 470  
Watermarks series 655  
Watermarks series 530  
Watermarks series 755  
Multi-layer automatic filters  
Activated Carbon Automatic Filters  
Zeolites Automatic Filters  
Iron Removal Automatic Filters

# 7 Commercial and industrial RO

48-51

**Commercial RO**  
C500  
C700  
C1000  
C1200  
C2000

**Industrial RO**  
Purecleer Serie PCQ  
Purecleer Serie PCB  
Purecleer Serie PCM  
Purecleer Serie IFS  
Purecleer Serie IFK

# 8 Direct Sales

52-53

Sanitizing Case  
Double Demonstration  
Reagents  
Portable meters  
Universal adaptor  
Hydron demo case  
Analysers and accessories  
Neatwork product

# 4 Domestic RO

24-37

**RO System 600**  
RO System LATT 600  
RO System Levante  
RO System Altyum  
RO System Lykke  
RO System Celer  
RO System Indika  
RO System Kube  
RO System Java  
RO System Reka 600  
RO System K10

**RO System 800**  
RO System Reka 800  
RO System Bolt  
RO System Pacifica  
RO System Vyrta  
RO System Strym  
**RO System Compact**  
RO Sintra  
RO Troi  
RO Infinty  
RO Gutzzi  
RO Wyka  
RO Versa

RO Ultra  
RO Magma  
**5 Stages RO**  
RO Proline Plus  
RO Ros  
RO Logico Aqua  
Consumables  
Electronic components  
Filter components

# 9 Hydrogen

54-55

Atom  
Hydron  
Haktiva Plus

# 10 Laundry System

54-55

Laundry 400  
Laundry 500  
Laundry 600

# 11 Columbia Water Dispensers

58-67

CS-20  
FC-325  
FC-400  
FC-425  
FC-525  
FC-530  
FC-550 Fact  
FC-630  
FC-725  
FC-750  
FC-900  
FC-1050  
FC-1300  
FC-1700/1750/1800  
FC-2050  
FC-2100  
FC-2200  
FC-2210  
FC-4300  
Columbia Soda UPPER  
CS-35  
CS-55  
Accessories and spare parts

# 12 Horeca

68-69

Dispensing equipment  
Dispenser tower  
Faucets  
Bottles  
Runbott

# 13 Ultraviolet System

70-73

UV0240LH  
UV Compact 39  
UV0480LH  
UV1200LH  
UV1700LH  
UV3300LH  
UV5800LH  
UV12000LH  
Equipo UV LED

# 14 Dosing and control instrumentation

74-75

Dosing pumps  
Measuring and  
regulation system

# 15 Components

76-77

Bottle for softening and  
filtration  
Brine tanks  
Diaphragm valves  
Brass solenoid valve  
Membrane housings  
RO Membranes  
Multicellular pumps  
Motors for rotary pumps  
Ion exchange resins  
Analysers and test kit

# 16 General condition

78-81

Conversion tables  
Analysis form

## LOGICO AQUA

### LOGICO AQUA

The Logico Aqua system series has different models available, which adapt easily to the characteristics of your family and your kitchen. With a simple and easy installation you will have all the filtered water that your family needs to drink and cook.




There are three possible Logico Aqua Packs depending on the type of kitchen you have:

- Direct Pack
- 1-way pack
- Pack 3-way

For more information on **Logico Aqua**, components and spare parts, scan this QR code.

## LOGICO AQUA PRO



High-technology water filtration for your home.

The Logico Aqua filtering system is very effective, since it filters water through a solid surface of high quality activated carbon. This is a far more effective system than traditional granulated carbon filters.

For more information on **Logico Aqua Pro**, components and spare parts, scan this QR code.


## LOGICO AQUA MINI



Ultra-compact filter. Removes impurities accumulated in the water.

For more information on **Logico Aqua Mini**, components and spare parts, scan this QR code.

## □ FILTERMAX FILTERS



Filter  
MAX

For more information about **FilterMax filters**, and all models, scan this QR code

Self-cleaning filters for water filtering.  
Stainless steel mesh.  
High water flow and low pressure drop.  
Indicator of frequency of washes.  
Whole protection from the impurities.

**100 microns:** For applications that require a higher water quality or when the water does not have a high turbidity. Ideal for municipal water treatment, pre filter for softeners, etc...



For more information about **FilterMax Basic**, and all models, scan this QR code

## □ FT LINE



FT-Line is a line of bayonet filters complete with filter, holder and complete with filter, support and accessories. Suitable for small domestic, vending, horeca and industrial applications. Various filtration applications, carbon, resin and polyphosphate.



For more information on **FT Line**, components and spare parts, scan this QR code

## □ KINETICO PREFILTERS

Protect your domestic system against substances such as rust particles, sand grains and other deposits. The kit consists of:

- The high quality brass head provides a high-end look and solidity, durable in use.
- The filter housing is made of reinforced material using a special formula, able to withstand freezing temperatures (-30°C without the housing bursting).
- The burst test pressure is over 50 bar, the cycle test is over 150,000 times operated at 12 bar.
- The transparent filter housing keeps the filter status visible.
- No filter replacement and maintenance costs.
- Forged connections of environmental brass, safe to use.
- Modular vertical-horizontal installation connection included.



For more information about **Kinetico Prefilter**, and all models, scan this QR code



## CINTROPUR FILTERS

Polypropylene head and nut.  
Reinforced brass thread. SAN cup.  
Manual air vent.

The centrifugal propeller system allows the sediment to descend to the bottom of the tank and then be easily evacuated through the drain.

The ACS certification allows it to be used in a large number of applications, in particular food applications.



For more information about **Cintropur Filters**, scan this QR code

## ANTI-SCALANT DOSING DEVICE MINIPOL/DOSAFOS

Protection of washing machines and dishwashers against limescale build-up, easy to install and very economical. The polyphosphate load will gradually dissolve; refill before completely emptying.

Refilling must be carried out by an authorised service technician (SAT).



For more information about **Minipol and Dosafos**, scan this QR code



## 3-PIECE HOUSING


Polypropylene head and nut.  
Reinforced brass thread.  
SAN cup. Manual air vent.

For more information about **3-Pieces housing**, scan this QR code

## CARTRIDGES

Pleated polyester cartridge.  
High chemical resistance.  
Perforated rigid polyethylene central tube.  
Filter media: polyester non-woven fabric.

Core: polypropylene.



For more information about **spare parts**, scan this QR code

## NON ELECTRIC

### ERGO

Environmentally friendly water softener with low water and salt consumption.

Contains a bypass for residual hardness as standard and ERGO valve without electricity, ready to operate with just one turn of a screwdriver.



For more information on **Ergo**, scan this QR code.

### TOREN

The water treatment equipment Toren is a high performance hydraulic countercurrent water softener that will supply you and your family with highly quality water.

Range of water softeners with a choice of two capacities;

- Toren 8
- Toren 11

For more information on **Toren**, scan this QR code.



## ELECTRIC

### STRATOS

The Stratos HE 25 range of water softener is designed to offer maximum comfort and durability. It HE ELECTRONIC DEMAND operating system reduces salt and water consumption by 50% compared to standard equipment and is environmentally friendly. Stratos includes as standard: isolation by-pass for maintenance operations, residual hardness mixer and safety brine control buoy.

For more information on **Stratos**, scan this QR code.



### DENVER PLUS

New generation water softener has an attractive cabinet with sliding salt cover and integrated programmer.

It incorporates a volumetric valve for easy programming.

For more information on **Denver Plus**, scan this QR code.



## ELECTRIC

### DENVER PLUS BLUE

Denver Plus Blue compact and volumetric water softeners are designed to offer maximum comfort and durability with low salt and water consumption. It is a range committed to the environment. Denver Plus Blue includes equipment composed of a PRFV bottle with upper and lower ABS distributors and a polyethylene cabinet, Denver 180 valve, isolation by-pass and residual hardness mixer integrated in the head.

For more information on **Denver Plus Blue**, scan this QR code.



### WATERMARK

Watermark energy-saving water softeners with an innovative, elegantly designed cabinet with sliding salt cover and interactive multi-colour display.

High efficiency counter-current regeneration for lower water and salt consumption and improved treated water quality. The unit consists of a PRFV bottle with ABS top and bottom distributors and a polyethylene cabinet.

For more information on **Watermark**, scan this QR code.



1. WaterMark 30 water softener
2. Filtermax pre-filter
3. Drain
4. By-pass assembly with quick-connect fitting 22 mm Starfit.



## ELECTRIC

### □ RIDER

One of the best-selling water softeners on the market. Its reliable technology (piston valve) and robustness make it very resistant over time.

The easy and intuitive programming allows you to choose between volumetric, chronometric or mixed mode.

It is perfect for today's homes.

For more information on **Rider**, scan this QR code.



## ELECTRIC

### □ VD

The VD 12 softener has the latest technology which facilitates its installation and maximizes its reliability.

Range of water softeners with a choice of three capacities;

- VD 8
- VD 12
- VD 18

For more information on **VD**, scan this QR code.



### □ VD BLACK

The VD Black 20 softener has the technology which facilitates its installation and maximizes its reliability.

The Direct Access system makes programming easier and guarantees correct start-up. VD Black 10 incorporates the revolutionary Saving system. The most modern descaling technology is applied to VD Black 20.

For more information on **VD Black**, scan this QR code.



### □ MEDDALSOFT

Equipment composed of PRFV bottle with upper and lower distributors in ABS and cabinet in polyethylene. Meddalsoft valve, electronic programmer with delayed regeneration option.

Range of water softeners with a choice of three capacities;

- Meddalsoft 11
- Meddalsoft 22
- Meddalsoft 30

For more information on **Meddalsoft**, scan this QR code.



## WATERMARK SERIES VALVES

### WS470

Multi-port valve for countercurrent softening and filtration applications. Compact and functional design. Intuitive electronic programmer. Made of high resistance Noryl and controlled by horizontal piston.



### WS530

High-performance multi-port valve designed for countercurrent softening and filtration applications. Compact and functional design. Designed for applications where a high flow of treated water is required. Made of high resistance Noryl.



### WS490

Multi-way valve for duplex descaling applications. Composed of a main and a secondary head, built in high resistance Noryl and controlled by a horizontal piston. Countercurrent regeneration.

## WATERMARK SERIES VALVES

### WS655

Industrial multi-way valve for water softening and filtration applications. Designed for high flow and intensive work applications. Made of heavy-duty Noryl and controlled by a horizontal piston.

Easy maintenance: easy access to pistons and other internal regulators. Advanced electronic programmer with multi-colour icons.

Easy and convenient programming.



### WS755

Industrial multi-way valve for countercurrent water softening and filtration applications. Designed for high flow and intensive work applications.

Made of heavy-duty Noryl and controlled by a horizontal piston.

Compact and robust equipment offering high flow rates for treatment and regeneration up to 1,000 litres of resin. Programmer specially designed for industrial applications, with a simple display that allows a quick and easy adjustment of all working parameters.



## WATER SOFTENERS

### WS470UF

This system is composed by a Greentank GRP vessel with top and bottom distributors and a brine tank made in polyethylene with capacity for many regenerations. Brine tanks equipped with brine grid and safety brine valve.

For more information on **WS470UF**, scan this QR code.



### WS530UF

This system is composed by a Greentank GRP vessel with top and bottom distributors and a brine tank made in polyethylene with capacity for many regenerations. Brine tanks equipped with brine grid and safety brine valve.

For more information on **WS530UF**, scan this QR code.



### WS490UF



This system is composed of 2 PRFV Greentank bottles with upper and lower distributors, and a salt tank made of polyethylene with enough capacity for several regenerations. It has a false bottom and a safety valve.

For more information on **WS490UF**, scan this QR code.

## WATERMARK SERIES MULTI-TANK

**Multi-tank systems** composed by a MTS controller and various water treatment columns.

A single programmer can control up to 16 columns, thus enabling it to adapt to almost all of the industrial market needs. The MTS programmer centralises all data supplied from the different heads, acting as the brain of the entire system and deciding when to trigger the regenerations in the equipment. The standard range includes up to 6 columns of 650 litres, 60 m<sup>3</sup>/hour. Other options available upon request.



### Specifications

- Modular system: Additional columns may be quickly and easily added to an existing installation. Furthermore, one column can be removed for repair or maintenance.
- Simplicity: A single wire connects the programmer to the first head, supplying both data and power supply. Likewise, a single wire connects the first head to the second, and so on.
- Industrial: Heavy-duty waterproof connectors. Stainless steel motor-driven valve on the outlet of the head to control each column (service, regeneration, stand-by...)

### MTS PROGRAMMER

### MTS-655

### MTS-755



## WATERMARK SERIES MULTI-TANK

### WATERMARK SERIES 655

This system is composed of a PRFV Greentank bottle with upper and lower distributors, and a salt tank made of polyethylene with enough capacity for several regenerations. It has a double bottom and a safety valve. Valve WS-655 made of heavy-duty Noryl controlled by an horizontal piston. Connection of 1 1/2". User-friendly and intuitive programmer for WaterMark Series. Multilingual display: English, French, Spanish, German, Russian and Italian. The desired regeneration can be chosen here: chronometric, metered immediate, delayed or mixed. Also, all working parameters can be configured. It contains water softening food-grade resin from GreenResin which features a great capacity and is supplied in 25 liters bags. Silex distributing base with different grain sizes.



For more information on **Watermark series 655**, scan this QR code.

### WATERMARK SERIES 755

Up-flow valve WS-755 made of heavy-duty Noryl and controlled by an horizontal piston. 2" connection. Up-flow regeneration for a lower consumption of salt and water. Watermark Series programmer for industrial applications. The desired regeneration can be chosen here: chronometric, metered immediate, delayed or mixed. Also, all working parameters can be configured. This equipment allows proportional regeneration processes, consuming only the amount of salt needed to recharge the exhausted resin. They contain water softening food-grade resin from GreenResin, which features a great capacity and is supplied in 25 liters bags. Silex distributing base with different grain sizes.



For more information on **Watermark series 755**, scan this QR code.

## WATERMARK SERIES 470, 530, 655, 755

### Nitrate removal systems of the Watermark Series 470, 530, 655, 755

This system is composed of a PRFV Greentank bottle with upper and lower distributors, and a salt tank made of polyethylene with enough capacity for several regenerations. It has a double bottom and a safety valve. Control valves are made of heavy-duty Noryl and controlled by a piston.

### WATERMARK SERIES 470

**Valve WS470UF** : Countercurrent regeneration, advanced electronic programmer, 1" connection.



### WATERMARK SERIES 655

**Valve WS655UF** : Standard regeneration, advanced electronic programmer, 1 1/2" connection.



### WATERMARK SERIES 530

**Valve WS530UF** : Countercurrent regeneration, advanced electronic programmer, 1" connection.

### WATERMARK SERIES 755

**Valve WS755UF**: Standard regeneration, advanced electronic programmer, 2" connection.

For more information on **Watermark Series 470, 655, 530, 755**, scan this QR code.

## WATERMARK SERIES AUTOMATIC FILTERS

### □ MULTI-LAYER AUTOMATIC FILTERS

Reduction of turbidity in water. Silex filtering load with different grain sizes and filtering hydro-anthracite.



## WATERMARK SERIES AUTOMATIC FILTERS

### □ ZEOLITES AUTOMATIC FILTERS

Reduction of turbidity in water. Zeolites filtering load with different grain sizes.



### □ ACTIVATED CARBON AUTOMATIC FILTERS

Reduction of the level of chlorine in water, absorption of organic and volatile substances. Filtering load of coconut shell activated carbon.



### □ IRON REMOVAL AUTOMATIC FILTERS

Reduction of iron and manganese. Filtering load containing Katalox Light and filtering zeolite.



For more information on **Watermark series Automatic Filters**, scan this QR code.

For more information on **Iron Watermark series Automatic Filters**, scan this QR code.

## DIRECT FLOW RO 600

### RO SYSTEM LÄTT 600

RO LÄTT is the latest and most modern reverse osmosis equipment. Its careful design and its versatility are able to adapt to any house. Ultracompact RO and suitable for any place.

For more information on **RO System LÄTT**, scan this QR code.



### RO SYSTEM ALTYUM

Low cost of maintenance. Long life of filters and membrane. Great design and versatility. It removes 99,9% of heavy metals, chlorine, bacteria, organic elements, etc. Ultracompact RO and suitable for any place. Without water tank.

For more information on **RO System Altyum**, scan this QR code.



## DIRECT FLOW RO 600

### RO SYSTEM LYKKE

Without water tank. Low cost of maintenance. Long life of filters and membrane. Great design and versatility. It removes 99,9% of heavy metals, chlorine, bacteria, organic elements, etc. 5-stage equipment.

For more information on **RO System Lykke**, scan this QR code.



### RO SYSTEM CELER

Advanced direct flow RO system. Unlimited instant water. Without accumulation tank. Electronic faucet. Quality water and filter lifespan warnings. Ultracompact RO and suitable for any place.

For more information on **RO System Celer**, scan this QR code.



### RO SYSTEM INDIKA

Nice Direct Flow system suitable for all kitchens. Low cost of maintenance. Long life of filters and membrane. Great design and versatility.

For more information on **RO System Indika**, scan this QR code.

## DIRECT FLOW RO 600

### RO SYSTEM KUBE

Everything in one filter. Smart design. Advanced direct flow RO system. Unlimited instant water . Without accumulation tank.

For more information on **RO System KUBE**, scan this QR code.



### RO SYSTEM JAVA

The latest and most modern reverse osmosis equipment. Its careful design and able versatility are designed to adapt to any house. Ultracompact RO and suitable for any place.

For more information on **RO System Java**, scan this QR code.



## DIRECT FLOW RO 600

### RO SYSTEM REKA 600

Without water tank. Low cost of maintenance. Long life of filters and membrane. Great design and versatility. It removes 99,9% of heavy metals, chlorine, bacteria, organic elements, etc.

For more information on **RO System Reka 600**, scan this QR code.



### RO SYSTEM K10

K10 Direct Flow RO is square, compact and carefully designed to fit perfectly under the sink in almost any kitchen. It combines a high capacity to produce pure water with a minimum amount of rejected water. This results in high water savings and more sustainable operation.

For more information on **RO System K10**, scan this QR code.

DIRECT FLOW RO 800

## RO SYSTEM REKA 800



Multifiltration capacity increases the efficiency of the system. Incorporate program. Avoid blockage in the membrane and extend its life span. Alt assures good water quality and better taste.

For more information on **RO System Reka 800**, scan this QR code.



## DIRECT FLOW RO 800

### RO SYSTEM BOLT

RO Bolt combines a great capacity to produce pure water with a minimum amount of rejected water. This results in high water savings and a more sustainable performance.

For more information on **RO System Bolt**, scan this QR code.



## DIRECT FLOW RO 800

### RO SYSTEM VYRTA

Without water tank. Low cost of maintenance. Long life of filters and membrane. Great design and versatility. It removes 99,9% of heavy metals, chlorine, bacteria, organic elements, etc. 5-stage equipment. Installation kit. Intelligent faucet with status messages.

For more information on **RO System Vyrta**, scan this QR code.



### RO SYSTEM PACIFICA

The latest and most modern reverse osmosis equipment. Its careful design and its versatility are thought to adapt to any house. Ultracompact RO and suitable for any place.

For more information on **RO System Pacifica**, scan this QR code.



### RO SYSTEM STRYM

Multifiltration capacity increases the efficiency of the system. Incorporate program. Avoid blockage in the membrane and extend its life span. All assures good water quality and better taste.

For more information on **RO System Strym**, scan this QR code.

## COMPACT REVERSE OSMOSIS

### □ RO INFINITY

Infinity is the result of years of experience in the manufacture of reverse osmosis equipment for domestic use. The best design, the best materials and the best configuration of elements make this machine one of the most modern on the market.

For more information on **RO Infinity**, scan this QR code.




### □ RO GUTZZI

RO Gutzzi is the result of the study, design and manufacturing created by a multidisciplinary team composed of biologists, engineers, designers and private users. We have achieved a compact, modern, simple, easy to-maintain and durable equipment.

For more information on **RO Gutzzi**, scan this QR code.



## COMPACT REVERSE OSMOSIS



### RO WYKA

RO Wyka is the result of much hard work and years of experience in the manufacture of household reverse osmosis equipment. The best design, the best materials and the best configuration of elements make this machine one of the most modern on the market.

For more information  
on **RO Wyka**, scan  
this QR code.

### RO VERSA

Designed in every curve for the modern home, **VERSA** fits into almost any space thanks to its versatility. It offers the possibility of being placed in multiple positions to avoid pipes, elbows and drains. Installation and maintenance are very easy thanks to its design.

For more information  
on **RO Versa**, scan  
this QR code.



## TRADITIONAL 5 STAGES REVERSE OSMOSIS

### RO PROLINE PLUS

Proline Plus Series. Economy and experience. Reverse osmosis equipment for the production of weakly mineralised water specifically for the hotel and catering industry.

For more information on **RO Proline**, scan this QR code.



### RO ROS

Traditional system with high quality components. Economy and experience. Reverse osmosis equipment.

For more information on **RO Ros**, scan this QR code.



### RO LOGICO AQUA

Reverse osmosis equipment for the production of water with weak mineralisation. 5-stage unit (5 µm filtration, double BLOCK carbon, membrane and remineralising post-filter). Installation kit. Tap with ceramic valve. Encapsulated 50 GPD membrane. Steel tank with plastic coating.

For more information on **RO Logico Aqua**, scan this QR code.



## COMPONENTS AND SPARE PARTS

### CONSUMABLES



### ELECTRONIC COMPONENTS



### FILTER COMPONENTS



For more information on **components and spare parts**, scan this QR code.

## 1-WAY REVERSE OSMOSIS FAUCET



### ROBIN (MF)

Faucet with ceramic valve.

Tube connection: 1/4"



### HIKE (MF)

Faucet with ceramic valve.


Tube connection: 1/4"



### COPENHAGUE

Low faucet, ideal for small spaces.

Tube connection: 1/4"



### MINI ROBIN (MF)

Faucet with ceramic valve.

Tube connection: 1/4"



### ROBIN

Faucet with ceramic valve.


Tube connection: 1/4"



### HIKE

Faucet with ceramic valve.

Tube connection: 1/4"



## 1-WAY REVERSE OSMOSIS FAUCET



### HARU

30% more flow than a standar faucet


Tube connection: 3/8" H



### KLEIN

Faucet with ceramic valve.


Tube connection: 1/4"



### LEWIS

Lever faucet

Tube connection: 1/4"



### STORE

Faucet with ceramic valve.


Tube connection: 1/4"



### OSLO

Faucet with ceramic valve.

Tube connection: 1/4"



For more information on **Faucets**, scan this QR code.

For more information on **Faucets**, scan this QR code.



## 2-WAY REVERSE OSMOSIS FAUCET

### □ DOBER (MF)



2-way faucet with  
2 ceramic valves

Tube connection: 1/4"




### □ OSAKA



2-way faucet with  
2 ceramic valves

Tube connection: 1/4"



### □ SEVEN



2-way faucet with  
2 ceramic valves

Tube connection: 1/4"



For more information  
on **Faucets**, scan  
this QR code.

## 3-WAY REVERSE OSMOSIS FAUCET

### FORUM (MF)




Shiny chrome 3-way single-handle faucet  
Tube connection: 3/8"



### FORUM



Faucet with ceramic valve.  
Tube connection: 3/8"



### ARES (MF)



Matt chrome 3-way faucet made of inox  
Tube connection: 1/4"



### SIGMA (MF)




Shiny chrome 3-way single-handle faucet  
Tube connection: 1/4"



### TER




Made in stainless steel  
Tube connection: 1/4"



### ALTEA



Made in stainless steel  
Tube connection: 3/8"



## 3-WAY REVERSE OSMOSIS FAUCET

### ESLA




Made in brass  
Tube connection: 3/8" - 7/16"  
Different finishes ; black, white, polished metal and shiny chrome.



### MIZU




Made in stainless steel  
Tube connection: 1/4"



### ASPE




Made in stainless steel  
Tube connection: 3/8"



### DION




Made in brass  
Tube connection: 3/8" - 7/16"



### COSMO




Faucet with ceramic valve.  
Tube connection: 3/8"



### OREGON



Faucet with ceramic valve.  
Tube connection: 3/8"



For more information on **Faucets**, scan this QR code.

For more information on **Faucets**, scan this QR code.



## 4-WAY REVERSE OSMOSIS FAUCET

 **VIRKA**  
 Made in brass  
 Tube connection: 1/4"

  Shiny chrome finish

 **LANDER**  
 Made in brass  
 Tube connection: 3/8"

 Shiny chrome finish

## 5-WAY REVERSE OSMOSIS FAUCET

 **AWA**  
 Made in brass  
 Tube connection: 1/4"

 Stainless steel finish.

For more information on **Faucets**, scan this QR code.



### Acetal fittings (white/1/2inch)

**Water & food use.** Starfit products are manufactured from safe, non-toxic materials meeting the requirements of the most recognized international certificates. Our products are widely used in water purification, food/beverage and pneumatic systems.

**Function & Quality.** Starfit provides quick and convenient assembly - saving time & expense. Our ISO9001 registered quality system ensures our customers a superior level of product quality. Defects are easily detectable and maintenance is easy with its easy dismantling for access.

**Collet Design.** Our unique oval collet design is superior and more practical, and is an improvement welcomed by our worldwide customers in all industries.

**Applications.** Beyond water and food use, fittings can be used with air, gases, vacuum, & liquids. A connections can be assembled & disassembled repeatedly. A broad of sizes covers a broad scope of applications.

Color. White (Acetal).  
O-ring. NBR.



**STARFIT**  
*DMfit*  
Conectores rápidos

### ACETAL FITTINGS



### CHECK VALVE



### IN-LINE FILTERS



For more information  
on **Starfit**, scan  
this QR code.

## COMMERCIAL RO

### □ C500

COMMERCIAL RO SYSTEM C-500. Including a prefiltration made of (sediment 5µm, Carbon GAC and Carbon block), 400 GPD membrane and auto flushing. Manometer, inlet and drain connectors. In this case faucet and tank are not included because depending on the installation it is better to use a bigger or smaller pressure tank as well as faucet model.



For more information on **Commercial RO 500**, scan this QR code.

## COMMERCIAL RO

### □ C1200

Including a 20" prefiltration made of (sediment 5µm, Carbon GAC and Carbon block), 2 X 600 GPD membrane with 2 X Diaphragm pumps and auto flushing with reverse osmosis water (2 small pressure tanks included). Inlet and drain connectors. In this case faucet and tank are not included because depending on the installation it is better to use a bigger or smaller pressure tank as well as faucet model.



For more information on **Commercial RO 1200**, scan this QR code.



### □ C700

Including a prefiltration made of (sediment 5µm, Carbon GAC and Carbon block), 600 GPD membrane and auto flushing. Manometer, inlet and drain connectors. In this case faucet and tank are not included because depending on the installation it is better to use a bigger or smaller pressure tank as well as faucet model.

For more information on **Commercial RO 700**, scan this QR code.

### □ C1000

Commercial 1000 is a maximum efficiency device. This means that the performance is much higher. Thanks to its 1000 GPD membrane, the amount of water wasted is much lower than in conventional osmosis systems. This means more water savings, less waste water generation and lower energy consumption. Equipment with a 100% sustainable operation.

For more information on **Commercial RO 1000**, scan this QR code.



### □ C2000

Advanced direct flow RO system. Unlimited instantly water. Without accumulation tank. Electronic faucet. Quality water and filter lifespan warnings. Ultracompact RO suitable for any place. Washing system with osmosis water that guarantees a longer life of the membranes and low mineralisation water from the first moment after each stop. Easy and convenient. Its design is designed to facilitate maintenance with easy-opening side panels.

For more information on **Commercial RO 2000**, scan this QR code.



## INDUSTRIAL RO

### PURECLEER SERIE PCQ

Equipment designed for a brackish water.



PureCleer Series equipment designed for domestic, collective and semi-industrial applications. High performance, functionality and versatility to adapt to the needs of any company or business.

### PURECLEER SERIE PCB

Equipment designed for a brackish water.



For more information on **Industrial RO System**, scan this QR code.

## INDUSTRIAL RO

### PURECLEER SERIE PCM

Equipment designed for a brackish water.



### PURECLEER SERIE IFS

Equipment designed for a sea water.



### PURECLEER SERIE IFK

Equipment designed for a brackish water.



For more information on **Industrial RO System**, scan this QR code.

## ☐ SANITIZING CASE

Automatic system for the sanitation of domestic reverse osmosis equipments.

Easy to be used, it is only necessary to connect the reverse osmosis equipment to the suitcase.

The suitcase will carry out the whole sanitation process automatically.



## ☐ DOUBLE DEMOSTRATION



## ☐ PORTABLE METERS



## ☐ REAGENTS



## ☐ UNIVERSAL ADAPTOR



For more information on **Direct Sales**, scan this QR code.

## ☐ HYDRON DEMO CASE



## ☐ ANALYSERS AND ACCESSORIES



## ☐ PRODUCTS NEATWORK



For more information on **Direct Sales**, scan this QR code.

# HYDRON

## THE HYDROGENATED WATER REVOLUTION

In our everyday life we come into contact with numerous chemical compounds and consume food with a high oxidative capacity. Hydrogen-enriched makes it an element contributing to a healthier lifestyle.

For more information on **Hydron**, scan this QR code.



# HYDROGEN

## ATOM

Hydrogen generator with PEM membrane. Pure hydrogen production, without ozone mixing. System for fine adjustment of the flow rate-dissolved hydrogen ratio. In-line operation, no internal accumulation.

Automatic cell cleaning by polarity inversion.



For more information on **Atom**, scan this QR code.



## HAKTIVA PLUS

Hydrogen generator system, easy to use and install, compact and ideal for small productions.

For more information on **Haktiva Plus**, scan this QR code.

# LAUNDRY 400

## OZONGUARD LAUNDRY SYSTEM

Ozonguard Laundry-400 uses the cleaning power of active oxygen to do your laundry more efficiently than soap, detergent or other ionising equipment, while remaining environmentally friendly. It removes pesticides, fungi, organic matter, contaminants and viruses. In addition, it is 100% toxic free, without adding pollutants to the water or the environment.

For more information on **Laundry 400**, scan this QR code.



## OZONGUARD LAUNDRY SYSTEM

### LAUNDRY 500

Ozonguard Laundry-500 uses the cleaning power of active oxygen to perform your laundry more efficiently than soap, detergent or other ionising equipments, always remaining respectful with the environment. Removes pesticides, fungi, organic matter, pollutants and viruses. In addition, it is 100% toxic free, without adding pollutants to the water or the environment.



For more information on **Laundry 500**, scan this QR code.

### LAUNDRY 600

Active oxygen is a powerful disinfectant, bleach, purifier and deodoriser.

It is the most powerful ecological disinfectant in the world. It destroys germs, bacteria and fungi faster and more effectively than chlorine. It also has a deodorising effect, eliminating the substances from which bad odours emanate.



For more information on **Laundry 600**, scan this QR code.

**CS-20**

Equipment suitable for domestic use, offices, pubs and cafes. Available with connection to the network or a built-in tank in the equipment. ABS table-top dispenser. No installation required.

For more information on **CS-20**, scan this QR code.



**FC-425**

Cold, hot and room temperature. Ultrafiltration and reverse osmosis system.

For more information on **FC-425**, scan this QR code.



**FC-325**

Countertop water dispenser. Ideal for home and business. LED multifunction information system.

For more information on **FC-325**, scan this QR code.



**FC-525**

Cold, hot and room temperature. Available in Ultrafiltration and reverse osmosis system.

For more information on **FC-525**, scan this QR code.

**FC-400**

Free standing water dispenser. Filtration water dispenser. Cold, hot and room temperature water.

For more information on **FC-400**, scan this QR code.



**FC-530**

Countertop water dispenser. Ultrafiltration Water Dispenser. Cold, hot or room temperature water.

For more information on **FC-530**, scan this QR code.



## FC-550 Fact

Table-top dispenser.  
Cold, hot and room temperature.  
Ultrafiltration system.

For more information  
on **FC-550**, scan this QR  
code.



## FC-630

Countertop water dispenser. Ideal for home  
and business. LED multifunction  
information system. Security system for  
hot water. Equipment with reverse osmosis  
system and pump.

For more information  
on **FC-630**,  
scan this QR code.



## FC-725

Free standing water dispenser. Filtration  
water dispenser. Cold, hot and room  
temperature water. Water dispenser for  
home and office use. Modern and trendy  
design, great supply capacity.  
Easy maintenance filtration system.

For more information  
on **FC-725**,  
scan this QR code.





**FC-750**

Free standing water dispenser. Ideal for home and business LED multifunction information system. Equipment with filtration, ultrafiltration and reverse osmosis system. Cold and hot water.

For more information on **FC-750**, scan this QR code.



**FC-900**

Standing water dispenser, with two temperature options and a modern and contemporary design. Ideal for homes and businesses.

For more information on **FC-900**, scan this QR code.



**FC-1300**

Free standing water dispenser. Equipment with filtration, ultrafiltration and reverse osmosis system. Cold and hot water.

For more information on **FC-1300**, scan this QR code.

**FC-1750/FC-1750 2 pedals**

Free standing water dispenser. Equipment with filtration, ultrafiltration and reverse osmosis system.

For more information on **FC-1700/1750/1800**, scan this QR code.



**FC-2050**

Free standing water dispenser with two dispensers; cold and ambient water. Equipment with filtration, ultrafiltration and reverse osmosis system.

For more information on **FC-2050**, scan this QR code.

**FC-2100**

Wall fountain with a single water dispenser perfect for public spaces such as offices or schools.

For more information on **FC-2100**, scan this QR code.



## FC-2200

Wall fountain with double dispenser tap to drink directly and to fill bottles at the same time.

For more information  
on **FC-2200**,  
scan this QR code.



## FC-4300

Floor water dispenser with Reverse Osmosis system that dispenses cold and hot water.

For more information  
on **FC-4300**,  
scan this QR code.



## FC-2210

Hot and cold water dispenser for home and office use. Modern design and great supply capacity. Includes a state-of-the-art, easy maintenance filtration system.

For more information  
on **FC-2210**,  
scan this QR code.



# COLUMBIA SODA UPPER

## COLUMBIA WATER DISPENSERS

Desktop cold, ambient and sparkling water dispenser equipment.

Columbia Soda Upper offers great production of cold water, at room temperature and with gas, so that enjoy a good glass whenever you want. The result is freshly filtered water, rich in all its beneficial components for our body.

For more information on **Columbia Soda UPPER**, scan this QR code.



## CS-35

Cold water, environment and gas.

Office equipment, bars, cafes and small restaurant. Desktop dispenser.

Electronic.

For more information on **CS-35**, scan this QR code.



## CS-55

Cold water, environment and gas.

Equipment for collectivities and medium restaurants. Desktop dispenser.

Electronic.

For more information on **CS-55**, scan this QR code.

## ACCESSORIES AND SPARE PARTS



For more information on **Accessories and spare parts**, scan this QR code.

# HORECA

EQUIPMENT SUITABLE FOR OFFICE,  
PUBS AND RESTAURANT

Pure filtered and balanced water of the best quality, which could solve the stock management in your restaurant. Our HORECA dispensers will be a good solution for you.

Nowadays, the adjustment of prices in restaurant menus, the "all inclusive" or free buffet, makes economizing and offering at the same time a good product the best solution.

For more information on **Horeca**, scan this QR code.



## DISPENSING EQUIPMENT



## DISPENSER TOWER



## FAUCETS



## BOTTLES



For more information on **Bottles**, scan this QR code.

## RUNBOTT



For more information on **Runbott**, scan this QR code.

## ULTRAVIOLET SYSTEM

Ultraviolet electromagnetic lamps ideal for the elimination of germs and bacteria located in the water. They improve the performance and effectiveness of teams.

### ☐ UV0240LH



### ☐ UV0480LH



### ☐ UV COMPACT 39



## ULTRAVIOLET SYSTEM

### ☐ UV1200LH



Ideal for domestic and industrial use.

Advantages: they sanitize the water without the need for chemical products. Low maintenance cost and easy installation.

### ☐ UV3300LH




### ☐ UV1700LH



For more information on  
**Ultraviolet System**  
scan this QR code.

For more information on  
**Ultraviolet System**  
scan this QR code.


**R.O EQUIPMENT**



**HOME**



**INDUSTRY**




**ULTRAVIOLET SYSTEM**

**UV5800LH**



**UV12000LH**



**UV LED EQUIPMENT**



Equipment for reverse osmosis faucets, ideal for the elimination of germs and microorganisms from the water supplied by UV-C radiation.

For more information on **Ultraviolet System** scan this QR code.




1. Well.
2. By-pass.
3. Protection filter.
4. Pulse-emitter water-meter.
5. Junction cable between water-meter and dosing pump.
6. Proportional dosing pump.
7. Chlorine tank
8. Tube injection point.
9. Chlorine level control.
10. Treated water tank.
11. Foot valve.

## DOSING PUMPS



1. Tank outlet valve.
2. Recirculation pump.
3. Check valve.
4. Pump outlet valve.
5. By-pass
6. Sentinel 2
7. Junction cable between Sentinel and dosing pump.
8. Dosing pump.
9. Foot valve.
10. Chlorine level control.
11. Chlorine tank.
12. Injection point.
13. Inlet to recirculation tank.
14. Water tank.
15. Protection and control board for recirculation pump.
16. Power supply

## MEASURING AND REGULATION SYSTEM



For more information on  
**Dosing and control instrumentation,**  
 scan this QR code.

**BOTTLES FOR SOFTENING AND FILTRATION**



**DIAPHRAGM VALVES**



**MEMBRANE HOUSINGS**



**BRINE TANKS**



**BRASS SOLENOID VALVE**



**RO MEMBRANES**



**MULTICELLULAR PUMPS**



**ION EXCHANGE RESINS**



**MOTORS FOR ROTARY PUMPS**



**ANALYSERS AND TEST KIT**



For more information on **Components**, scan this QR code.

For more information on **Components**, scan this QR code.




# Conversion tables

## Hardness

Hardness conversion table

1 milliequivalent	1 French degree	1 English degree	1 American degree	1 German degree	1 ppp CO <sub>3</sub> Ca
1	5	3.5	2.9	2.8	50
0.2	1	0.7	0.58	0.56	10
0.286	1.43	1	0.83	0.80	14.3
0.34	1.72	1.2	1	0.96	17.2
0.358	1.79	1.25	1.04	1	17.9
0.02	0.1	0.07	0.058	0.056	1

## Filtration and separation spectrum



# Analysis form

NAME OF CLIENT:	
REFERENCE:	
ANALYSIS NO.:	SALESPERSON:
ARRIVAL DATE:	ANALYSIS DATE:
WATER FROM:	NETWORK <input type="checkbox"/> WELL <input type="checkbox"/> SURFACE <input type="checkbox"/> TREATMENT
FUTURE TREATMENT/USE:	

A. MICROBIOLOGICAL PARAMETERS	RESULT	MAXIMUM VALUE	UNITS
ESCHERICHIA COLI		0	UFC/100 ml

B.1. CHEMICAL PARAMETERS	RESULT	MAXIMUM VALUE	UNITS
ARSENIC		10	µg/l
BORON		1.0	mg/l
COPPER		2.0	mg/l
FLUORIDES		1.5	mg/l
NITRATES		50	mg/l
NITRITES		0.5	mg/l
[NO <sub>2</sub> ] / 50 + [NO <sub>3</sub> ] / 3		<1	mg/l

C. INDICATIVE PARAMETERS	RESULT	MAXIMUM VALUE	UNITS
ALUMINIUM		200	µg/l
AMMONIA		0,5	mg/l
RESIDUAL COMBINED CHLORINE		3,0	mg/l
RESIDUAL FREE CHLORINE		1,0	mg/l
TOTAL CHLORINE		/	mg/l
CHLORIDES		250	mg/l
COLOUR		15	mg/l Pt/Co
CONDUCTIVITY at 20 °C		2500	_S/cm
TDS		/	mg/l
TOTAL IRON		200	µg/l
FERROUS IRON (Fe <sup>2+</sup> )		/	mg/l
LANGELIER INDEX 20 °		- 0.5 / + 0.5	/
MANGANESE		50	µg/l
ODOUR		/	/
pH		6.5 / 9.5	pH units
SULPHATES		250	mg/l
TURBIDITY		5	UNF

OTHER PARAMETERS	RESULT	MAXIMUM VALUE	UNITS
TOTAL ALKALINITY		/	mmol/l
PARTIAL ALKALINITY		/	mmol/l
TOTAL BICARBONATES		/	mg/l
TOTAL CARBONATES		/	mg/l
TOTAL HYDROXIDES		/	mg/l
TOTAL HARDNESS		/	° F
CALCIUM		/	mg/l
MAGNESIUM		/	mg/l
BARIUM		/	mg/l
COD		/	mg O <sub>2</sub> /l
PHOSPHATES		/	mg/l
POTASSIUM		/	mg/l
SILICA		/	mg/l

THESE CALCULATIONS ARE NOT CERTIFICABLE AND ARE INTENDED AS ORIENTATION FOR THE CORRECT CALCULATION OF WATER TREATMENT SYSTEMS.

\* VALUES MARKED WITH AN ASTERISK (\*) AND IN RED NUMBERS (IN THE SAMPLE RECEIVED) ARE ABOVE THE MAXIMUM VALUES ESTABLISHED BY THE EUROPEAN DIRECTIVE 98/83/CE.

REMARKS

The sales conditions apply to all orders. These conditions and prices may be reviewed by TRATAMIENTOS DE AGUA VDF, S.L. (hereinafter VDF) at any time should any circumstances such as a higher manufacturing cost, energy, raw materials, etc. change.

#### **Orders**

To prevent errors and ensure clarity, all orders must be submitted in writing (by post, fax or email), with the amount and reference no. from our price list and product description. All orders will be deemed confirmed once written notification is released. Any change to the orders shall be made and accepted in writing.

#### **Invoices**

Once accepted the terms and conditions, VDF will provide the purchase invoices through the Extranet and will no longer be sent by e-mail. The invoices will be available in the Extranet for any type of inquiry and management regarding such invoices.

#### **Delivery date**

Delivery dates serve as guidance only. Though all efforts are made to ensure punctual delivery on the date provided, we do not accept any responsibility nor penalties or compensations for delays in delivery due to force majeure and circumstances beyond our control. The delivery date is understood as the date upon which the goods are dispatched from our warehouses, regardless of who is in charge or assumes the transport costs.

#### **Prices**

Prices are understood as 'ex-work tariffs' in l'Ametlla del Vallès (Barcelona) (EX WORKS), including packaging. All taxes, agreements and other costs and charges are to be met by the purchaser. Prices in Euro. VAT is not included.

#### **Transport**

Goods travel under the responsibility and at the risk of the purchaser, even when delivery has been paid, except for the cases where the transport is made with VDF's own means notwithstanding the responsibility and claim of the client to the carrier hired by VDF or the client. At the time to place and accept the order it shall be defined who will carry out and / or assume the transport's cost; if it is on charge of the client, the invoice shall reflect the relevant cost if such transport has been hired by VDF. Before accepting the goods, the client shall check the state of the goods and packaging. In the event of any abnormality, the client should advise the carrier in less than 24 hours and provide us with written notification of the incidence, in order to ensure we can act accordingly.

#### **Guarantee**

VDF guarantees its products for a period of 3 years from the date of issuance of the relevant invoice to the distributor. In particular, VDF shall be held responsible for the lack of conformity of the goods, when such lack of conformity refers to the origin, identity or suitability of the products, according to their nature and the regulations related to them. Considering the nature of product and the relevance of its installment and the conditions of the water to be treated. To activate the guarantee, it is essential to fulfill with the technical conditions for the installation and operation of the equipments foreseen in the relevant installation sheet of each equipment or in the Guarantee Form (Authorisation for

the Return of Materials) of VDF.

The guarantee covers strictly and exclusively the replacement of the parts of the devices. The repair of the devices and the costs related to it (labour, transport costs, travel expenses, etc.) will be assumed by the distributor.

In those cases where the technical service of VDF has not been able to verify the activation of the guarantee previously to the shipment of the device part, the lack of conformity, and therefore the activation of the guarantee, shall be afterwards proved to VDF in a maximum period of 1 month by means of the return of the relevant device part to VDF facilities. In the event that in the referred period of 1 month the technical service of VDF has not been able to verify the activation of the guarantee on the terms set out before, VDF will proceed to require the payment of the device relevant part/s for the amount indicated in the relevant invoice.

The guarantee does not cover parts suffering usual wear and tear, lack of maintenance, hits and other faults due to the improper use of the device, its improper installment or, in any case, to circumstances beyond the devices. Likewise the guarantee will not be valid in those cases where the devices have been manipulated, modified or repaired using materials or procedures other than those provided by the Official Technical Assistance Service of VDF.

In order to activate the guarantee, it is required to provide the receipt of purchase and to fulfill the technical data, as well as, the information about installation and operation requested in the Guarantee Form (Authorisation for the Return of Materials) from VDF and, for some devices, it is required to activate the guarantee, according to the procedure indicated by the manufacturer.

#### **Payment conditions**

Except in the case of express written agreement to the contrary, all payments will be made in cash.

All taxes and charges which arise from the selling of the devices shall be borne by the purchaser. Any delay in payment will result in the application of 3% interest per month, starting from the delay date, without written notification or requirements being issued by the seller.

Any modification to the payment conditions shall be notified in writing by our company.

Likewise, as damages and losses, the purchaser is responsible for all bank and legal charges which may arise as the result of returning unpaid goods as well as any dunning charges (judicial or non-judicial).

#### **Returns**

No returns are permitted unless they are the result of delivery errors due to VDF. Should an error occur, invoice shall be provided, as well as the previous order, in order to start the return process. Should this documents not be provided, the return of goods will be denied.

Under no circumstances may goods be returned without having received prior written authorization from VDF. If said authorization is received, the material shall be delivered in perfect packaging, with freight collect, to our warehouse in l'Ametlla del Vallès. We will not accept any returns of products which were adapted to the characteristics and requirements of the clients.

Corresponding sums will be added to the client's account

and will be deducted from next invoices.

#### **Cancellation**

Without prejudice to any other claims which may correspond to us, we reserve the right to terminate or cancel any operation, in the event of failure to meet any of the aforementioned conditions, as well as in case of partial or total failure to pay an order, delay in payments, as well as in the event that the purchaser faces executive procedures, or is declared in bankruptcy.

In the event that the purchaser terminates or cancels an order or contract, the client shall provide the seller with a 20 % of the products' value corresponding to the cancelled order, without prejudice to the seller's right to claim damages for the losses incurred as a result of order cancellation.

#### **Ownership reservation**

The seller reserves ownership to the goods sold until the purchaser has made all payments. The seller reserves the right to remove said articles, either wholly or partially, from the purchaser's premises.

#### **Personal data information**

According to the regulations on personal data protection currently in force, we hereby inform you that the data controller of your personal data is TRATAMIENTOS DE AGUA VDF, S.L., with Corporate Tax ID (N.I.F.) number B60326279, postal address at Carrer Aiguafreda, número 8, Pol. Industrial l'Ametlla Park, Ametlla del Vallès, 08480 (Barcelona), telephone 902.305.310 and e-mail clientes@ionfilter.com.

Your personal data is processed for the purposes of managing the contractual and commercial relationship with our clients, process the orders made by the client and its payment as well as commercial and advertising purposes if it has been expressly agreed by the client. The lawful base which authorise us to process your personal data is the execution of the contractual relationship entered into with you. VDF will keep the personal data for the duration of the contractual relationship and, afterwards, for the legal prescription period. In no event VDF will forward the data collected to third parties without the prior and express consent of the client except for the transfers required by Law.

In order to protect the confidentiality and security of the data communicated by the client and prevent its alteration, loss and unauthorized use or treatment, VDF has adopted all technical and organizational measures suitable depending on the data nature.

At any time the client may exercise its rights of access, modification and erasure of the personal data, cancel or limit its processing as well as object to the processing of your data, by sending a request via postal service or e-mail to the data controller. Finally, we inform you that you have the right to file a claim before the responsible data protection regulatory authority, in particular, before the Spanish Data Protection Agency (*Agencia Española de Protección de Datos*).

#### **Compliance and commercialization**

The purchase which sells VDF's products shall pursue a behavior according to the ethical standards that shall con-

duct the the development of the business activity, acting responsibly and honestly and with integrity in front of its own clients as well as to comply with the regulations in force and, in particular, regulations on users and consumers.

The Purchaser undertakes not to sell nor publicize the products of "Water Logistics Group" in social media as long as the group company's policy in order to protect the final client/consumer is to carry out on-face sales. The Purchaser will act in its own name and behalf assuming the liability in front of its clients as well as the legal and business risks arising from its activity and shall comply with the legal requirements to carry out such activities.

#### **Jurisdiction and legal competence**

The purchaser agrees to waive its own jurisdiction, and submit himself to the courts and tribunals of Barcelona any action which may derive from failure to respect the aforementioned conditions.

The photographs, images and graphic materials included in this Catalogue are the property of VDF and are covered and protected by the legislative R.D. 1/1996, April 12th, according on the Intellectual Property Law.

Third parties shall not use the images included in the above mentioned catalogue, including copy, manipulation, distribution or public communication, without having previously received an authorization or expressed consent from VDF.

Failure to comply with the prohibition will entitle VDF to exercise the actions envisaged in the legislative R.D. 1/1996, April 12th, and to adopt the provisional remedies envisaged in the law.

Likewise, any attempt to imitate the mentioned catalogue without the express authorization from VDF will be considered as an act of unfair competition, and will entitle the company to exercise the actions envisaged in Law 29/2009, December 30th, according to which the legal provisions of unfair competition and advertising for the improvement of the protection of consumers and users are modified.

VDF will disseminate the catalogue and the general conditions to the distributors and purchasers of its devices. It is understood that such distributors or purchasers accept such general conditions when placing an order or any other commercial activity with the company.

WE RESERVE THE RIGHT TO INTRODUCE TOTAL OR PARTIAL VARIATIONS IN OUR PRODUCTS FOR COMMERCIAL OR MANUFACTURING CIRCUMSTANCES WITHOUT PRIOR WARNING. THIS GENERAL CONDITIONS MAY BE MODIFIED BY INFORMING THROUGH ITS WEBSITE OR ANY OTHER MEDIA.

COMMENT AND PHOTOGRAPH FIELDS ARE NOT CONTRACTUAL.

Aiguafreda, 8  
Pol. Ind. L'Ametlla Park  
08480, L'Ametlla del Vallès  
Barcelona, Spain

+34 936 934 300  
info@ionfilter.com  
ionfilter.eu

Code: 735114 Catalogue IE - 2023 - IONFILTER EXPORT



WLG (B-60326279) is member of the Water Quality Association.



The trading of water treatment and household appliances as well as designing and teaching of non-official training courses related with its technology are certified and comply with the UNE-ISO-9001 for WLG (B-60326279).



WLG (B-60326279) is an Aqua España member, who belong Aqua Europa (Federation of European nation associations)