



Lógico Aqua PRO



The most environmentally friendly filtration system for HORECA environmentally friendly. Reusable containers, less plastic, more economical, more environmentally friendly.



Simple Kit Lógico Aqua Pro 13"



Polypropylene cartridge system.

SPECIFICATIONS:

Flow: 4 l/min.
Filtering capacity:
25.000 l
Inlet connection-oulet: 3/4"

SPECIFICATIONS:

1 x Lógico Aqua Pro PP 13" 5 microns.
1 x Simple Head Lógico Aqua Pro.
1 x Assembly accessories.



980832 Simple filtration set Lógico Aqua Pro PP 13

Simple Kit Lógico Aqua Pro 13"



Bacteriostatic carbon fibre cartridge
bacteriostatic fibre cartridge.

SPECIFICATIONS:

Flow: 4 l/min.
Filtering capacity a 1 ppm of chlorine:
25.000 l
Inlet connection-oulet: 3/4"

SPECIFICATIONS:

1 x Lógico Aqua Pro carbon fibre
bacteriostatic 13.
1 x Simple Head Lógico Aqua Pro.
1 x Assembly accessories.



980833 Simple filtration set Lógico Aqua Pro carbon fibre 13

Simple Kit Lógico Aqua Pro 13"



Ultrafiltration cartridge system.

SPECIFICATIONS:

Flow: 4 l/min.
Filtering capacity:
25.000 l
Inlet connection-oulet: 3/4"

SPECIFICATIONS:

1 x Lógico Aqua Pro UF 13.
1 x Simple Head Lógico Aqua Pro.
1 x Assembly accessories.



980834 Simple filtration set Lógico Aqua Pro UF 13

Double Kit Lógico Aqua Pro 13"



System with filtration cartridge and bacteriostatic carbon fibre bacteriostatic fibre.

SPECIFICATIONS:

Flow: 4 l/min.
Filtering capacity a 1 ppm
of chlorine: 25.000 l
Inlet connection-oulet: 3/4"

SPECIFICATIONS:

1 x Lógico Aqua Pro filtration 135.
1 x Lógico Aqua Pro carbon fibre
bacteriostatic 13.
1 x Double Head Lógico Aqua Pro.
1 x Assembly accessories.



980819 Double filtration set Lógico Aqua Pro PP carbon fibre 13

Double Kit Lógico Aqua Pro 13"



Carbon cartridge system
bacteriostatic fibre.

SPECIFICATIONS:

Flow: 8 l/min.
Filtering capacity a 1 ppm of chlorine:
50.000 l
Inlet connection-oulet: 3/4"

SPECIFICATIONS:

2 x Lógico Aqua Pro carbon fibre
bacteriostatic 13.
1 x Double Head Lógico Aqua Pro.
1 x Assembly accessories.



980821 Double filtration set Lógico Aqua Pro PP 2 carbon fibre 13

Triple Kit Lógico Aqua Pro 13"



Cartridge filtration system and
carbon fibre bacteriostatic.

SPECIFICATIONS:

Flow: 8 l/min.
Filtering capacity a 1 ppm
of chlorine: 50.000 l
Inlet connection-oulet: 3/4"

Specifications:

1 x Lógico Aqua Pro filtration 135.
2 x Lógico Aqua Pro carbon fibre
bacteriostatic 13.
1 x Triple Head Lógico Aqua Pro.
1 x Assembly accessories.



980820 Triple filtration set Lógico Aqua Pro PP carbon fibre 13

Triple Kit Lógico Aqua Pro 13"



Bacteriostatic carbon fibre cartridge
cartridge and UF.

SPECIFICATIONS:

Flow: 4 l/min.
Filtering capacity a 1 ppm of chlorine:
50.000 l
Inlet connection-oulet: 3/4"



SPECIFICATIONS:

1 x Lógico Aqua Pro filtration 135.
1 x Lógico Aqua Pro carbon fibre
bacteriostatic 13.
1 x Lógico Aqua Pro UF 13.
1 x HeadLógico Aqua Pro triple.
1 x Assembly accessories.

980822

Triple filtration filtration set Lógico Aqua Pro PP carbon fibre UF 13

Quadruple Kit Lógico Aqua Pro 13"



Bacteriostatic carbon fibre and ultrafiltration
bacteriostatic fibre and ultrafiltration.

SPECIFICATIONS:

Flow: 4 l/min.
Filtering capacity a 1 ppm
of chlorine: 50.000 l
Inlet connection-oulet: 3/4"



SPECIFICATIONS:

1 x Lógico Aqua Pro filtration 13.
1 x Lógico Aqua Pro carbon fibre
bacteriostatic 13.
2 x Lógico Aqua Pro UF 13.
1 x Quadruple Head Lógico Aqua Pro.
1 x Assembly accessories.

980823

Quadruple filtration set Lógico Aqua Pro PP carbon 2 UF 13

Simple Kit Lógico Aqua Pro 21"



System with polypropylene polypropylene cartridge.

SPECIFICATIONS:

Flow: 6.5 l/min.
Filtering capacity:
50.000 l
Inlet connection-oulet: 3/4"

1 x Lógico Aqua Pro PP 21" 5 microns.
1 x Simple Head Lógico Aqua Pro.
1 x Assembly accessories.



980835 Simple filtration set Lógico Aqua Pro PP 21

Simple Kit Lógico Aqua Pro 21" simple



Bacteriostatic carbon fibre cartridge
bacteriostatic fibre cartridge.

SPECIFICATIONS:

Flow: 6.5 l/min.
Filtering capacity a 1 ppm
of chlorine: 50.000 l
Inlet connection-oulet: 3/4"

1 x Lógico Aqua Pro carbon fibre
bacteriostatic 21.
1 x Simple Head Lógico Aqua Pro
1 x Assembly accessories.



980836 Simple filtration set Lógico Aqua Pro carbon fibre 21

Simple Kit Lógico Aqua Pro 21"



Ultrafiltration cartridge system.

SPECIFICATIONS:

Flow: 6.5 l/min.
Filtering capacity:
45.000 l
Inlet connection-oulet: 3/4"

1 x Lógico Aqua Pro UF 21.
1 x Simple Head Lógico Aqua Pro.
1 x Assembly accessories.



Double Kit Lógico Aqua Pro 21"



Bacteriostatic carbon fibre cartridge system.

SPECIFICATIONS:

Flow: 13 l/min.
 Filtering capacity a 1 ppm
 of chlorine: 100.000 l
 Inlet connection-oulet: 3/4"

2 x Lógico Aqua Pro carbon fibre
 bacteriostatic 21.
 1 x Double Head Lógico Aqua Pro.
 1 x Assembly accessories.



980829 Double filtration set Lógico Aqua Pro 2 carbon fibre 21

Triple Kit Lógico Aqua Pro 21"

Bacteriostatic carbon fibre cartridge system.



SPECIFICATIONS:

Flow: 13 l/min.
 Filtering capacity a 1 ppm
 of chlorine: 100.000 l
 Inlet connection-oulet: 3/4"

1 x Lógico Aqua Pro filtration 215.
 2 x Lógico Aqua Pro carbon fibre
 bacteriostatic 21.
 1 x Triple Head Lógico Aqua Pro.
 1 x Assembly accessories.



980825 Triple filtration set Lógico Aqua Pro PP 2 carbon fibre 21

Triple Kit Lógico Aqua Pro 21"

Cartridge filtration system
carbon fibre bacteriostatic and ultrafiltration cartridges.



SPECIFICATIONS:

Flow: 4 l/min.
Filtering capacity a 1 ppm
of chlorine: 50.000 l
Inlet connection-oulet: 3/4"

1 x Lógico Aqua Pro filtration 21.
1 x Lógico Aqua Pro carbon fibre
bacteriostatic 21.
1 x Lógico Aqua Pro UF 17.
1 x Triple Head Lógico Aqua Pro.
1 x Lógico Aqua Pro triple.
1 x Assembly accessories.



980827

Triple filtration set Lógico Aqua Pro PP carbon UF 21

Kit Lógico Aqua Pro 21" cuádruple

Cartridge filtration system
carbon fibre bacteriostatic cartridge.



SPECIFICATIONS:

Flow: 19.5 l/min.
Filtering capacity a 1 ppm
of chlorine: 150.000 l
Inlet connection-oulet: 3/4"

1 x Lógico Aqua Pro filtration 21.
3 x Lógico Aqua Pro carbon fibre
bacteriostatic 21.
1 x Quadruple Head Lógico Aqua Pro.
1 x Assembly accessories.



980826

Quadruple filtration set Lógico Aqua Pro PP 3 carbon fibre 21

Quadruple Kit Lógico Aqua Pro 21"



System with bacteriostatic carbon fibre cartridge and ultrafiltration.

SPECIFICATIONS:

Flow: 13 l/min.
 Filtering capacity a 1 ppm
 of chlorine: 75.000 l
 Inlet connection-oulet: 3/4"

1 x Lógico Aqua Pro filtration 21".
 1 x Lógico Aqua Pro carbon fibre
 bacteriostatic 21.
 2 x Lógico Aqua Pro UF 21.
 1 x HeadLógico Aqua Pro
 cuádruple.
 1 x Assembly accessories.



980828 Quadruple filtration set Lógico Aqua Pro PP carbon 2 UF 21

Heads Lógico Aqua Pro



980813	Simple Head inlet connection 3/4" outlet 3/4"
980814	Double Head in series inlet connection 3/4" outlet 3/4"
980815	Triple Head in series inlet connection 3/4" outlet 3/4"
980816	Triple 1 serie + 2 for 1st inlet 3/4" outlet 3/4"
980817	Quadruple Head 1 series + 1 series + 2 for 1st inlet 3/4" outlet 3/4"
980818	Quadruple Head 1 series + 3 for 1st inlet 3/4" outlet 3/4"

Lógico Aqua Pro 13" internal spare part

Polypropylene filtering interior refill
5 microns 13".



980807 Lógico Aqua Pro 13" filtration 5 microns internal spare part

Lógico Aqua Pro 13" internal spare part

Bacteriostatic carbon fibre bacteriostatic inner
refill 13".



980808 Lógico Aqua Pro 13" carbon fibre internal spare part

Lógico Aqua Pro 13" internal spare part

Ultrafiltration inner refill 13".



980809 Lógico Aqua Pro 13" ultrafiltration internal spare part

Lógico Aqua Pro 21" internal spare part

Polypropylene filtering interior refill
5 microns 21".



980810 Lógico Aqua Pro 21" filtration 5 microns internal spare part

Lógico Aqua Pro 21" internal spare part



Bacteriostatic carbon fibre bacteriostatic inner refill 21".

Tarifa

980811	Lógico Aqua Pro 21" carbon fibre internal spare part	C
--------	--	---

Lógico Aqua Pro 21" internal spare part



Ultrafiltration inner refill 21".

Tarifa

980812	Lógico Aqua Pro 13" ultrafiltration internal spare part	C
--------	---	---

Lógico Aqua Pro 13" cartridge

Polypropylene filtration cartridge 5 microns 13".
Filtering capacity: 25.000 l.



980800 Lógico Aqua Pro 13" filtration cartridge

Lógico Aqua Pro 13" cartridge

Bacteriostatic carbon fibre 13" cartridge.
Filtering capacity: 25.000 l.



980801 Lógico Aqua Pro 13" carbon fibre cartridge

Lógico Aqua Pro 13" cartridge

Ultrafiltration cartridge 13".
Filtering capacity: 25.000 l.



980802 Lógico Aqua Pro 13" ultrafiltration cartridge

Lógico Aqua Pro 21" cartridge

Polypropylene filtration cartridge 5 microns 13".
Filtering capacity: 25.000 l.



980803 Lógico Aqua Pro 21" filtration cartridge

Lógico Aqua Pro 21" cartridge



21" carbon fibre cartridge bacteriostatic.
Filtering capacity: 50.000 l.

980804 Lógico Aqua Pro 21" carbon fibre cartridge

Lógico Aqua Pro 21" cartridge



Ultrafiltration cartridge 21".
Filtering capacity: 50.000 l.

980805 Lógico Aqua Pro 21" ultrafiltration cartridge

Lógico Aqua Pro opening key



980839 Lógico Aqua Pro opening key

Lógico Aqua Pro KIT Bypass



Optional Accessories Kit for bypass installation
as a set Logic Aqua Pro.
Opening key Logic Aqua Pro.



SPECIFICATIONS:

2 x Ball valve 3/8".
2 x Te de 3/8".
1 x Tube 3/8".

980870 Kit Bypass Lógico Aqua Pro